

公告 昭 26.8.30 出願 昭 25.1.24 特願 昭 25-957

出願人 發明者 富士田 惣次郎 布施市永和2丁目3の15  
代理人 辨理士 丸 山 喜 三 造

## 同 轉 式 ゲ ー ム 盤

summary

## 發明の性質及目的の要領

本發明は表面に多數の障害杭を植立したる傾斜廻轉盤と其の外周に同一傾斜にして多數の符號を附し之を區劃したる符號環を備へ之の兩者を逆に廻轉せしめ廻轉盤の中心下方に球體の噴出筒を備へ之の噴出筒より球體を廻轉盤上に順次自動的に噴出せしむべくなし之の噴出したる球體が轉々して前記符號區劃中に還入したる時之の符號と別に配給せられたる符號カードの符號とを照合し種々に組合せ配列して勝負競技する事を特徴とする同轉式ゲーム盤にして其の目的とする所は屋の内外に於て多數人監視の裡に絶對公正にして明快なる勝負競技をなさしめ又は少人數にても良く之を使用し得て楽しむ事を得せしむるゲーム盤を得るに在り。

## 圖 面 の 略 解

圖面に示す所は本發明實施の一例にして第1圖はゲーム盤の平面圖第2圖は同上縱斷面圖第3圖はゲーム盤の裏平面圖第4圖は一部切缺せるゲーム盤裝置の載臺上平面圖第5圖は球體噴出筒の一部擴大斷面圖第6圖は本發明使用例の全體平面圖なり第7圖は別に備へる1組の符號カードの表面圖第8圖は同上裏面圖である。

## 發明の詳細なる説明

本發明は表面に多數の障害杭2を植立したる槍笠狀の傾斜廻轉盤Aと其の外周に傾斜を同一にし多數の例へば數字1より52迄の符號dを附し之の符號dを周壁3及兩壁3',3'よりて區劃したる符號環Bを備へ而して廻轉盤Aの中心に球體Cの噴出口1を穿設し其の下方に球體噴出筒6を備へ其の下方に球體Cの下降止め出入子18,18を設け其の下に電磁器12によりて球體Cの突上げ杆10'を上下に活動せしめて球體Cを突上げ充填し且つ最上球より順次噴出せしむべく裝置し又前記出入子18

18の下方に於て噴出筒6を曲折側壁4外に突出せしめ其所に球體Cの補給口6'を設け而して第4圖に示す如き十字形の載臺7の上にローラE, E', E', E'を設け之の上に廻轉盤Aの下面に設けたる環道14を載置し又外側にローラG, G, G, Gを設けて其の上に符號環Bの下面を載置し、而して環道14の外側及符號環Bの下方内側にゴム環15, 17を嵌着して其の中に縦のローラ16, 16, 16, 16が挿入さる如くし而してローラEの主軸にベルト8及電動機9を連結せしめて動力源とし以つて廻轉盤Aが廻轉を開始する時縦ローラ16, 16, 16, 16を介して符號環Bは逆に廻轉すべくなし、而して電磁器12に連結する電線12'之に連結するスイッチ19をカウンター20上に設け、之のスイッチ19の點滅によりて球體Cの突上子10, 10'は活動し以つて球體Cを順次噴出口1外へ噴出すべく裝置す、而して噴出したる球體Cは障害杭2によりて不定の道程を辿り轉々して最後に逆廻轉しつゝある符號環Bの何れかの符號dの區劃内に轉入するものとす。然れば絶對に盤A上に噴出したる球體Cの道程は之を操作し豫定する事を得ず従つて球體Cを求むる符號d區劃内に意識的に轉入せしむる事は不可能なり、去れば之の球體Cに依つて與へられる符號dは全く偶然的のものにして技術技巧なく眞に公正明快なるものなり。

而して本發明使用の一例を示せば符號環B上の符號Dたる1より52迄の符號と同一にして同數の52枚の符號カード(第7圖)を備へ、その52枚の符號カードを割り切れる數の遊戯者に分配する、例へば13人の遊戯者ならばカード4枚宛を、4人ならばカード13枚宛を豫め分配し置き、然してカウンター20の外に在る之の遊戯者は順次スイッチ19を押して球體Cを同轉中の同轉盤A上に1個宛飛出さしめる。之の球が盤A上を轉々して符號環

(2)

特許出願公告  
昭26-4874

Bの区劃内に轉入する。その轉入したる區劃内の符號が若し5とすれば符號カード5を所持する遊戯者は1點を獲得するものとす。

之の事を繰返して行ひ早やく持カード全部につき得點したる者を勝者とするものである。即ち同轉する盤A上に球を轉々せしめ、その球のためたる符號環Bの符號と持カードの符號とを合せて得點とするゲーム遊びである。之の符號Dとカードの符號を色々の物にて表はし又は遊戯者のチームを作り又遊戯規則を持出し各種各様に遊戯する事が出来るものである。


尙圖中5は盤Aの支板、13は盤Aの廻轉を助けるボールベアリング、13'は同押へ。第5圖中21

は突入子の頭端、22は同底のスプリング、7'は載臺の脚なりとす。


特許請求の範圍

本文に詳記し圖面に例示する如く表面に多數の障害杭を植立したる傾斜廻轉盤と其の外周に同一傾斜にして多數の符號を附し之を區劃したる符號環を備へ之の兩者を逆に廻轉せしめ廻轉盤の中心下方に球體の噴出筒を備へ、之の噴出筒より球體を廻轉盤上に順次自動的に噴出せしむべくなし符號環の符號と同一にして之の符號と同數の符號カードを別に備へ、之のカードの符號と球體の轉入する區劃内に表はす符號とを合はせ、得點とする同轉式ゲーム盤。

第1圖




第2圖




(3)

特許出願公告  
昭26-4874


第3圖




第4圖



第5圖



第6圖



特許出願公告  
昭26—4874

[illegible][illegible]

### Summary of the Invention

A rotatable game board comprising;

a sloped rotatable board having numbers of obstruction pegs piled on its surface,

a lot of given characters provided along its peripheral, and

pocket character regions wherein each given character is accommodated individually to thereby divide the characters, wherein the sloped rotatable board and the pocket character regions rotate reversely.

The present invention further comprising;

a passage hole downwardly extending from the central position of the sloped rotatable board to sequentially and automatically eject a ball therefrom.

The aspect and the object of the present invention mentioned as follows.

Before starting the game, the equal numbers of the cards are distributed to the players (or participants) of the game. The same kind of given characters with the pocket character regions are printed or drawn on the distributed cards. When the game is started, the ball ejects from the passage hole sequentially and automatically, passes through the obstruction pegs, spins around the board, and enters into one of the pocket character regions. The main aspect of the present invention is to correspond to the card character printed thereon and the character of the pocket character region where the ball enters. The combination of the character of the card printed thereon and the character of the pocket character region can freely be arranged by the players.

The object of the present invention is to provide the game board that gives completely fair matches among the players. The players can enjoy playing the game both indoors and outdoors. There is no requirement as for the numbers of the players. Therefore, from a small to large number of the people can participate and enjoy the game with the subject game board.

Scope of Claim for Patented

As is described in the specification and illustrated in the drawings, the present invention relates to a rotatable game board comprising a sloped rotatable board having numbers of obstruction pegs piled on its surface, a lot of given characters provided along its peripheral, and pocket character regions wherein each given character is accommodated individually to divide the characters, wherein the sloped rotatable board and the pocket character regions rotate reversely, and further comprising;

a passage hole downwardly extending from the central position of the sloped rotatable board to sequentially and automatically eject a ball therefrom, and further including character cards having the equal numbers with the numbers of pocket character regions, wherein the same kinds of characters with the pocket character regions are printed on the character cards, and wherein the cards are distributed to all players before the game starts.

When the card character corresponds to the character of the pocket character regions where the ball sequentially and automatically ejects from the passage hole, passes through the obstruction pegs, spins around the board, and enters into, the player or players having the corresponding card is given points.